

phil.

Technical specifications PHIL Haarlem Kleine Zaal

Loading dock address + artists entrance
Philip Frankplein 2A
2019 HB Haarlem

Navigation adres cars:

Bakenessergracht 72

Navigation adres trucks:

Damstraat 12

The entrance is blocked with pollers, which are not operated on distance. To do this, contact the rear door by telephone via 0031 235121298

Please pay attention:

Haarlem is a environmental zone:

[Information environmental zone Haarlem](#)

Visitor adress

Lange Begijnestraat 11
2011 HH in Haarlem

023 - 512 12 12 (Main)

023 - 512 12 30 (Technical department)

023 - 512 12 98 (Artist Entrance)

Capaciteit 400 personen



Stage information

Stage dimensions

Opening 10 m, halfcircle 5 m radius with sidewings of 2,5m wide. No walking route from left to right!
Stage entrances on stage right.

Hall dimensions

Halfcircle, 15m wide

Floor

Wood

phil.

Rigging

Flybars (programmable: Bosch Rexroth)

Count	9
Max. load per bar	300 kg
Max. pointload under cable	150 kg
Max. pointload between cables	150 kg
Max. load end of bar	30 kg
Speed	10 m/minute

Flybar list Kleine Zaal

Bar #	Distance from opening	Note
-5	-8.3 m	Bar above audience
-4	-4.9 m	Bar above audience
-3	-3.6 m	Bar above audience
-2	-2.3 m	Normally 3 x martin 150
Sound truss		
Lijst	0 m	
1	0.95 m	Normally 4 x martin 150
2	1.35 m	Legs
3	1.85 m	Normally 3 x 4-bar ETC Multipar
4	2.35 m	Normally 5 x P12 + 4 x Spider
5	2.85 m	Backdrop and/or Projectionsscreen

Drapery

Legs	1 set, color nightblue
Backrop	5x legs 10 m, color nightblue
Marley	Black, 10 m wide

Lighting

Free assignable dimmers	6x 2,5kW, stage right 6x 2,5kW, stage left 2x 5kW, stage right 2x 5kW, stage left 12 2,5 kW, stage left (dimmerpack)
-------------------------	--

Fixed spots	
Main bridge	24x Selecon PC 1 kW 16x Selecon 1 kW zoom profile, 12° - 28°

phil.

Stage	8x Selecon 1 kW zoom profiel 23° - 50° 6x Teclumen Pony LED PC 4x Robe Spider 5x JB-Lighting P12 Spot 3x 4-bar with ETC Par sourcefour
Hall	3x 4-bar with Oxo RGB led 13x ETC colorsource Par RGB for toplight orchestra 1x RGB strip around hall
Flexible lights (shared with 'Grote Zaal')	7x Selecon PC 2 kW 2x Selecon PC 2 kW fresnel 8x Selecon PC 1 kW 8x Selecon fresnel 650 W 6x Selecon 1 kW Zoom profile 1x 4-bar met ETC Source four par 4x Six bar met ETC Source four par 12x DTS super par 64 classic 7x ETC Colorsource Cyc
Moving lights (on request)	26x Robin LedBeam 150 14x Robe DL4X 10x Clay Paky AlphaSpot QWO 800
Lighting consoles (on request)	Roadhog 4 met faderwing MA3 Compact XT

Miscellaneous

1x Yamaha C6 grand piano incl. stool
2x Steinway grand piano incl. stool
Stagedecks (1x1 m, 1x2 m, 1,22x1,44 m; 20/40/60/80 cm incl. blacks)
A diverse selection of floorstands
1x Lectern
Orchestra chairs
Music stands
1x SWEFOG Xeon MK 2 DMX
1x Peasoup Hazer
Alp-lift hoogwerker
Greengo intercom

Audio (L'Acoustics)

Left / right / center Per array 6x Kiva (total 3)

phil.

Side/balconyfill	3x SB18lii Sub (stacked behind centercluster) 2x array van 2x A10i Frontfills 8x 5xt
Processing/amplifiers	1x Meyersound Galaxy AES 816 4x DSP amplexier L'Acoustics LA4X 1x DSP amplexier L'Acoustics LA3Xi

We endorse the covenant "prevention of hearing damage" and measure the sound pressure in the room.

Caution: everything below is only available on request, and costs may be applied.

Mixing consoles

- 1x Midas Pro2
- 1x Midas Pro2 C
- 1x Midas Heritage – D HD96-24
- 1x Midas M32
- 1x Midas Venice 240

Stageracks:

- 2x Digitaal stagerack 48/16 DL 251
- 1x Digitaal stagerack 16/8 DL 153
- 2x Digitaal Stagerack 24/24 DL 231
- 1x Analoge Splitter 24/12



Microphones

- 1x Sennheiser MD 431
- 2x Sennheiser MD 425
- 4x Sennheiser MD 421
- 4x Sennheiser E 604
- 4x Shure beta 57 A
- 2x Shure 57
- 1x Shure 52 Beta
- 1x Shure 91 A Beta
- 8x Neumann KM 184
- 2x Neumann KMS 104
- 2x DPA 2011
- 1x AKG 452
- 1x AKG PCC 160
- 2x AKG D 112
- 4x MBC 660
- 2x AKG C 535 EB



4x AKG CK 91
4x AKG C 414 B-xls
8x Shure SM 58 Beta
4x Shure SM 58
3x AKG C 5900
4x Shure 87 C Beta
1x AKG C 2000
2x DPA 4098 Tafel mic. t.b.v. Katheders
2x Electro Voice tafelmicrofoon t.b.v. katheders
8x AKG C 580 tafelmicrofoon
6x BSS AR 116 actieve DI
8x Klark Teknik DN 100
3x Klark Teknik DN 200
2x Radial Trim Two

Monitors

6x Meyer UM 100P 12"
2x Meyer UM 1P 12"
2x AM 12" Clair Brothers unpowered
4x AM + 12" Clair Brothers powered

Other equipment

1x Tascam SC CDR 200 Recorder
3x Tascam CD RW 901 SL CD Recorder
1x Tascam MD 350 MD Speler
1x Waves Soundgrid server incl. Klark Teknik DN 9650 network bridge

Video (on request)

1x Epson EB 2220B 20.000 lumen

1x Stumpfl 6 x 3,38 frameless front projection
1x Stumpfl 6 x 3,45 front en rear projection

Power

1x 125A on stage right **OR** 2x 63A on stage left and right
1x 32A op stage left

phil.

