

phil.

Technical specifications PHIL Haarlem Kleine Zaal

Loading dock address + artists entrance

Phillip Frankplein 2A

2019 HB Haarlem

Navigation adres cars:

Bakenessergracht 72

Navigation adres trucks:

Damstraat 12

The entrance is blocked with pollers, which are not operated on distance. To do this, contact the rear door by telephone via 0031 235121298

Please pay attention:

Haarlem is a environmental zone:

[Information environmental zone Haarlem](#)

Visitor adress

Lange Begijnestraat 11

2011 HH in Haarlem

023 - 512 12 12 (Main)

023 - 512 12 30 (Technical department)

023 - 512 12 98 (Artist Entrance)

Capaciteit 400 personen





Stage information

Stage dimensions Opening 10 m, halfcircle 5 m radius with sidewings of 2,5m wide. No walking route from left to right!
Stage entrances on stage right.

Hall dimensions Halfcircle, 15m wide

Floor Wood

Rigging

Flybars (programmable: Bosch Rexroth)

Count 9

Max. load per bar 300 kg

Max. pointload under cable 150 kg

Max. pointload between cables 150 kg

Max. load end of bar 30 kg

Speed 10 m/minute

Flybar list Kleine Zaal

Bar #	Distance from opening	Note
-5	-8.3 m	Bar above audience
-4	-4.9 m	Bar above audience
-3	-3.6 m	Bar above audience
-2	-2.3 m	Bar above audience
Sound truss		
Lijst	0 m	
1	0.95 m	Normally 3 x 4-bar oxo RGB Par
2	1.35 m	Legs
3	1.85 m	Normally 4 x Robe DL4x + 4 x Spider
4	2.35 m	Normally 3 x 4-bar ETC Multipar
5	2.85 m	Backdrop and/or Projectionsscreen



Drapery

Legs	1 set, color nightblue
Backrop	5x legs 10 m, color nightblue
Marley	Black, 10 m wide

Lighting

Free assignable dimmers	6x 2,5kW, stage right 6x 2,5kW, stage left 2x 5kW, stage right 2x 5kW, stage left 12 2,5 kW, stage left (dimmerpack)
Fixed spots	
Main bridge	24x Selecon PC 1 kW 16x Selecon 1 kW zoom profile, 12° - 28° 8x Selecon 1 kW zoom profiel 23° - 50° 6x Teclumen Pony LED PC
Stage	4x Robe Spider 5x JB-Lighting P12 Spot 3x 4-bar with ETC Par sourcefour 3x 4-bar with Oxo RGB led
Hall	13x ETC colorsource Par RGB for toplight orchestra 1x RGB strip around hall
Flexible lights (shared with 'Grote Zaal')	7x Selecon PC 2 kW 2x Selecon PC 2 kW fresnel 8x Selecon PC 1 kW 8x Selecon fresnel 650 W 6x Selecon 1 kW Zoom profile 1x 4-bar met ETC Source four par 4x Six bar met ETC Source four par 12x DTS super par 64 classic 7x ETC Colorsource Cyc

Caution: everything below is only available on request, and costs may be applied.

Mixing consoles

- 1x Midas Pro2
- 1x Midas Pro2 C
- 1x Midas Heritage – D HD96-24
- 1x Midas M32
- 1x Midas Venice 240

Stageracks:

- 2x Digitaal stagerack 48/16 DL 251
- 1x Digitaal stagerack 16/8 DL 153
- 2x Digitaal Stagerack 24/24 DL 231
- 1x Analoge Splitter 24/12

Microphones

- 1x Sennheiser MD 431
- 2x Sennheiser MD 425
- 4x Sennheiser MD 421
- 4x Sennheiser E 604
- 4x Shure beta 57 A
- 2x Shure 57
- 1x Shure 52 Beta
- 1x Shure 91 A Beta
- 8x Neumann KM 184
- 2x Neumann KMS 104
- 2x DPA 2011
- 1x AKG 452
- 1x AKG PCC 160
- 2x AKG D 112
- 4x MBC 660
- 2x AKG C 535 EB
- 4x AKG CK 91
- 4x AKG C 414 B-xls





8x Shure SM 58 Beta
4x Shure SM 58
3x AKG C 5900
4x Shure 87 C Beta
1x AKG C 2000
2x DPA 4098 Tafel mic. t.b.v. Katheders
2x Electro Voice tafelmicrofoon t.b.v. katheders
8x AKG C 580 tafelmicrofoon
6x BSS AR 116 actieve DI
8x Klark Teknik DN 100
3x Klark Teknik DN 200
2x Radial Trim Two

Monitors

6x Meyer UM 100P 12"
2x Meyer UM 1P 12"
2x AM 12" Clair Brothers unpowered
4x AM + 12" Clair Brothers powered

Other equipment

1x Tascam SC CDR 200 Recorder
3x Tascam CD RW 901 SL CD Recorder
1x Tascam MD 350 MD Speler
1x Waves Soundgrid server incl. Klark Teknik DN 9650 network bridge

Video (on request)

1x Epson EB 2220B 20,000 lumen
1x Epson lens EL PLM 08 (1.42 – 2.28)
2x Epson lens EL PLM 09 (1.57 – 2.56)
2x Epson lens PL U 03 S (0.48 – 0.57)
2x ELPLM15 (1.57 – 2.56)

1x Stumpfl 6 x 3,38 frameless front projection
1x Stumpfl 6 x 3, 45 front en rear projection



1x Analog Way Eikos LE incl. RK 300 remote control

2x Black Magic Atem Mini

2x V Mix

1x Blackmagic Atem Pro HD

1x Blackmagic SSD recorder

4x Blackmagic Hyperdeck Plus

1x Blackmagic Smart Videohub 20x20

2x Elgato Streamdeck 15 knoppen

3x Black Magic Smartview 4K Monitor

1x 24 inch Samsung B 2430 L

1x 49 inch Panasonic TH – 49LF80W LCD HD

2x 75 inch Panasonic TH – 75 EQ1W LCD Ultra HD

1x 84 inch Christie FHQ842 – T LCD Ultra HD touchscreen

2x 86 inch Philips LCD

2x 32 inch Samsung DB 32 E LCD 4K UHD

2x 42 inch Sharp PN – U 423 LCD Full HD

2x MacBook

9x Windows laptop

1x Perfect Que Mini

1x Microque 2

10x Logitech

9x HDMI SDI

8x SDI HDMI

2x SDI splitters

2x Edid

2x HDMI splitter

Diverse verlopen (USB C / APPLE Lightning enz)

3x5 meter combikabel SDI G6 / Cat5E

4x10 meter combikabel SDI G6 / Cat5E

3x20 meter combikabel SDI G6 / Cat5E

3x Haspel SDI

phil.

3x35 meter SDI (afstand beamer video regie toneel)

1x bak SDI

1x bak HDMI

1x bak DVI

1x bak Cat5/Cad5E

Power

1x 125A on stage right OR 2x 63A on stage left and right

1x 32A op stage left

